



Serological Research Institute  
3053 Research Drive  
Richmond, CA 94806  
[serisales@serological.com](mailto:serisales@serological.com)  
[www.serological.com](http://www.serological.com)

## MATERIAL SAFETY DATA SHEET

Effective Date: 2006  
Telephone Number: (510) 223-7374

### SECTION I: PRODUCT IDENTIFICATION

PRODUCT NAME: HemDirect Hemoglobin Assay  
CATALOG NUMBER: R530  
SYNONYMS: N/A

### SECTION II: PHYSICAL CHARACTERISTICS

APPEARANCE: Plastic Cassette with immobilized antibody on membrane with buffer tube.  
PRESERVATIVES: N/A  
STORAGE SOLUTION: N/A

### SECTION III: FIRE & EXPLOSION INFORMATION

FIRE: Not considered to be a fire hazard.  
FIRE EXTINGUISHER MEDIA: Any fire extinguisher medium may be used.

### SECTION IV: HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE: Exposure to this product is not expected to produce adverse human health effects.

EMERGENCY & FIRST AID PROCEDURES: Accidental ingestion is improbable. So medical conditions caused by exposure are unknown.

### SECTION V: REACTIVITY DATA

STABILITY: Stable  
HAZARDOUS POLYMERIZATION: Will not occur  
CONDITIONS TO AVOID: N/A

### SECTION VI: SPILL OR LEAK PROCEDURES

MATERIAL RELEASE OR SPILL: Clean affected area with detergent and water

### SECTION VII: SPECIAL PROTECTION

RESPIRATORY PROTECTION: Unnecessary. Test specimens to be used with the product may require standard protective gear for handling biologicals.

VENTILATION: General or local

PROTECTIVE GLOVES: Should be worn when handling test specimens

EYE PROTECTION: Should be worn when handling test specimens

#### SECTION VIII: SPECIAL PRECAUTIONS

NONE

This material is for research and forensic applications only. It is not intended for food, drug, household, agricultural, or cosmetic use. All material should be handled only by technically qualified individuals experienced in handling potentially hazardous chemicals. The above information is correct to the best of our knowledge. The user should make independent decisions regarding completeness of the information based on all sources available. Serological Research Institute shall not be held liable for any damage resulting from handling or from contact with the above product.

R530MSDS.DOC